# Sim@P1: Using Cloudscheduler for offline processing on the ATLAS HLT farm


F Berghaus for the Sim@P1 team

on behalf of the ATLAS Collaboration

### Outline

- Definition: What is Sim@P1
- Status: Current operation
- Plan: Integration of Cloudscheduler

# What is Sim@P1?




Racks	Servers per rack	Cores per node	RAM per node	RAM per core	Total cores
1-4, 6-13, 94, 95	32	16	~24 Gbyte	~1.5 Gbyte	10K
64-69	40	16			
16-26, 75-77	32	48	~64 Gbyte	~1.3 Gbyte	64K
70-74, 79-90	40	48			
44-54	40	56	64 Gbyte	~1.1 GByte	
Total: 58					74K

Sim@P1 = Simulation at point one

# Sim@P1: Current Operation

- Dedicated VLAN for offline access to list of hosts in CERN General Purpose Network
- Compute resources isolated by virtualization





# Sim@P1: Current Operation

30k

#### Boot:

- Puppet launches nova on worker nodes
- Puppet executes scripts to launch instances
- Instances connect to condor
  - CM + 2 Sched in GPN
- APF submits to each Sched
- Shutdown:
  - Puppet kills nova on worker nodes
  - Puppet calls cleanup scripts





- 20MB CernVM3 micro-kernel distributed from glance
- CernVM3 caches in ATLAS software and operating system
- Two SQUID servers in P1 are sufficient to provide software

10 July 2018 Frank Berghaus


# Issues with current operation


- Hard to maintain:
  - Many undocumented scripts
  - Scripts spread over many servers in P1 and in GPN
- No error handling for running instances
- Hard to update or modify

## Proposal for Sim@P1

#### Cloudscheduler


- Batch system on distributed cloud infrastructure
- In production for offline processing for
  - ATLAS (2012 present)






### Cloudscheduler at Point 1

- Proposal for long shutdown two [LS2]:
  - Cloudscheduler & OpenStack run in P1 Network
  - Polling thread and HTCondor run in CERN GPN
  - Cloudscheduler and polling thread interact with database



### Cloudscheduler at Point 1

- Communication flow for Cloudscheduler
- Requires channel to database between P1 & GPN




#### Harvester Job Submission

Harvester pull mechanism allows job-specific resource request

Condor reports resources availability to Harvester to improve

PanDA job brokering PanDA Harvester



# Summary

- Sim@P1 is successfully operating
- Cloudscheduler setup to ease operation under evaluation
- PanDA Harvester setup for job more flexible job submission

# Thanks to many contributors

#### Cloudscheduler Team

K Casteels, C Driemel, M Ebert, C Leavett-Brown, M Paterson, R Seuster, R Sobie, R P Taylor,T Weiss-Gibbons

#### Sim@P1 Team

A Di Girolamo, C Lee, P Love, J Schovancova, R Walker

#### TDAQ Team

F Brasolin, D A Scannicchio, M E Pozo Astigarraga

# P1 Network Upgrades

#### Tentative future

